



# ECOLOGICAL LABORATORIES PVT LTD.

## Test Report

Report No : EN-29500

Date : 09/03/2026

**ANCHAL AROMATICS**

**1696, LGF EAST POCKET, SECTOR 23, EAST POCKET, SECTOR 23, GURUGRAM**

The following sample were submitted and identified on behalf of buyer as:

**Sample submitted and identified by supplier as:**

**Bottle**

Sample Description : Greenatva Shwas  
Product Name : Cold Relief Roll On  
Sample Qty. : 1 Bottle  
Condition of sample by delivery : Good  
Sample Receiving Date : 27/02/2026  
Test Completion Date : 09/03/2026

Test Performed : Please refer to next page.

Signed for and on behalf of  
ECOLOGICAL LABORATORIES PVT. LTD.

Jyotsna Bhojane (Eco)  
Authorized Signatory





# ECOLOGICAL LABORATORIES PVT LTD.

## Test Report

Report No : EN-29500

Date : 09/03/2026

1)

Sr. No	Physical Tests performed	Test Method	Test Results/Units
1	Appearance	Visual	Liquid
2	Colour	Visual	Clear Liquid
3	Odour	-	Pleasant Odour

2)

Sr. No	Tests performed	Test Method	Requirement	Test Results/Units
<b>Heavy Metals in Liquid</b>				
1	Arsenic	Microwave Digestion, analysis by ICP-OES	NMT 3 ppm	< LOQ (0.02 ppm)
2	Cadmium		NMT 3 ppm	< LOQ (0.02 ppm)
3	Lead		NMT 10 ppm	< LOQ (2.5 ppm)
4	Mercury		NMT 3 ppm	< LOQ (0.005 ppm)
5	Antimony		NMT 5 ppm	< LOQ (0.05ppm)

3) **Total Heavy metals (Packaging material)**

ECTM-09:2015 (Ref: EPA-3050B:1996, DIN1122:2001, EPA-3051-A:2007, CPSC-CH-E 1001-08-3:2012, CPSC-CH-E 1002-08-3:2012, Microwave Digestion, analysis by ICP-OES

Sr.No	Metal	CAS No.	Liquid	Requirement
1	Cadmium (Cd)	7440-43-9	ND	Sum 100 mg/kg
2	Chromium VI	18540-29-9	ND	
3	Lead (Pb)	7439-92-1	ND	
4	Mercury (Hg)	7439-97-6	ND	

**Minimum detection limits:**

Cadmium (Cd) 5 mg/kg,  
Chromium VI 0.5 mg/kg,  
Mercury (Hg) 2 mg/kg  
Lead (Pb) 5 mg/kg  
ND: Not detected



# ECOLOGICAL LABORATORIES PVT LTD.

## Test Report

Report No : EN-29500

Date : 09/03/2026

4)

Sr. No	Tests performed	Test Method	Requirement	Test Results/Units
<b>Microbiological Test</b>				
1	Total Plate Count	ISO 21149: 2017(E)	≤ 1000	< 1 cfu/ml
2	Yeast & Mould	ISO 16212: 2017(E)	≤ 100	< 1 cfu/ml
3	Pseudomonas aeruginosa	ISO 22717:2015 (E)	Absent in 1g or 1ml	Absent/ml
4	Candida Albicans	ISO 22717:2015 (E)	Absent in 1g or 1ml	Absent/ml
5	Escherichia Coli	ISO 22717:2015 (E)	Absent in 1g or 1ml	Absent/ml
6	Staphylococcus aureus	ISO 22718:2015(E)	Absent in 1g or 1ml	Absent/ml

5) **Phthalates**

Test Method: ISO 14389:2014, Analysis by GCMS

Phthalate	CAS No.	Result	Requirement
Butyl benzyl phthalate (BBP)	85-68-7	ND	No requirement
Di-butyl phthalate (DBP)	84-74-2	ND	
Bis-2-ethylhexyl-phthalate (DEHP)	117-81-7	ND	
Di-iso-butyl phthalate (DIBP)	84-69-5	ND	
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	
Di-iso-nonyl phthalate (DINP)	68515-48-0	ND	
Di-n-octyl phthalate (DNOP)	117-84-0	ND	
Di-C6-8-branched alkylphthalates (DIHP)	71888-89-6	ND	
Di-C7-11-branched alkylphthalates (DHNUP)	68515-42-4	ND	
Di-n-hexyl phthalate (DHP)	84-75-3	ND	
Di-(2-methoxyethyl)-phthalate (DMEP)	117-82-8	ND	
Di-pentyl phthalate / DPP (n,-iso,-,or mixed)	131-18-0	ND	
Bis-4-Methyl Pentyl Phthalate	71850-09-4	ND	
Di-Iso-Hexyl Phthalate	68515-50-4	ND	
Sum		ND	

Minimum Detection Limit: 50 mg/kg

ND: Not Detected



**Test Report**

**6) Free and hydrolysed formaldehyde**

BS EN ISO 14184-1:2011, analysis by UV-visible spectrophotometer

	<b>Liquid</b>	<b>Requirement</b>
	ND	75 mg/Kg

End of Report